



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

potassium permanganate. This new method gives very good results and is particularly useful when large quantities of tubers are to be treated.—E. MEAD WILCOX.

Mitotic figures.—The nature of the forces which determine the achromatic figure is discussed by HARTOG,³⁰ and speculations as to processes occurring in the living cell are illustrated by ingenious experiments. Finely pulverized magnetite under the influence of magnets was made to take the form of the familiar mitotic figures. Photographs of these magnetic figures showing centrosomes, centrospheres, polar radiations, mantle fibers, and central spindles are given. Tripolar and quadripolar spindles were easily produced.—CHARLES J. CHAMBERLAIN.

The xerophytic character of gymnosperms.—Miss STOPES³¹ has brought together the data in reference to xerophily among the gymnosperms, and concludes "that the xerophytic characters of the Coniferales in many cases are not adaptations to xerophytic conditions in their own times, nor are they 'inherited' from the remote past as vestigial characters, but are the result of physiological limitations of the type of wood in this ancient and incompletely evolved group. In other words, their 'xerophytism' is not ecological, but phylogenetic."—J. M. C.

Embryogeny of Gnaphalium.—The occurrence of parthogenesis in *Antennaria* suggested to SCHILLER³² an examination of the nearly related genus *Gnaphalium*. A study of *G. supinum*, *G. silvaticum*, and *G. uliginosum* showed the normal formation of four megaspores in the nucellus, a normal embryo sac with the rather extensive antipodal development characteristic of many Compositae, and the regular occurrence of double fertilization. When pollination is prevented no embryos are formed.—CHARLES J. CHAMBERLAIN.

Course of pollen tube in Sibbaldia.—According to ALBANESE,³³ the growth of the integument in *S. procumbens* continues until the micropyle is entirely closed. The pollen tube grows through the tissues of the integument and nucellus and thus reaches the embryo sac. This course of the pollen tube and also the described cases of chalazogamy are regarded not as primitive conditions but as variations from the porogamic type. *Sibbaldia* often shows several embryo sacs in a single nucellus.—CHARLES J. CHAMBERLAIN.

³⁰ HARTOG, MARCUS, The dual force of the dividing cell. Part I. The achromatic spindle figure illustrated by magnetic chains of force. Proc. Roy. Soc. London **76**: 548-675. pls. 9-11. 1905.

³¹ STOPES, M. C., The "xerophytic" character of the gymnosperms; is it an "ecological" adaptation? New Phytol. **6**:46-50. 1907.

³² SCHILLER, JOSEF, Untersuchungen über die Embryogenie in der Gattung *Gnaphalium*. Oesterr. Bot. Zeits. **57**:137-142. pl. 5. 1907.

³³ ALBANESE, NICOLÒ, Ein neuer Fall von Endotropismus des Pollenschlauches und abnormer Embryosacksentwicklung bei *Sibbaldia procumbens* L. Sitzber. Kais. Akad. Wiss. Wien **113**:1-24. pls. 1-2. 1904.